

Company Profile




We are a professional manufacturer specializing in the R&D, design, processing, production, sales and service of wiring terminals.

We operate an independent R&D center, mold workshop, stamping workshop, injection molding workshop, automated production line, etc., with robust production process control capabilities.

With over 20 years of development, we have built a mature R&D team covering product design, process development, mold design and other related fields. Our product range includes PCB screw terminal blocks, plug-in terminal blocks, PCB spring terminal blocks, barrier terminal blocks and other related series.

These products are widely applied in artificial intelligence, power control, industrial automation, new energy systems, elevators, instrumentation, communication, power supply, security, lighting, rail transit and other related industries. We also provide ODM/OEM services and deliver customized solutions for our customers.



JIAJI ELECTRONIC TECHNOLOGY (NINGBO) CO., LTD
<https://www.nbjiaji.com>

Injection Molding Workshop

The company possesses over 50 precision injection molding machines, equipped with a fully automated feeding system and an automatic crushing and recycling system, achieving highly automated production from raw materials to finished products.



Automated Assembly Workshop

The company's automated assembly workshop features over 100 fully automatic production and assembly devices, achieving highly automated and intelligent production.



Automated Inspection Workshop

The company's automated inspection workshop features over 20 high-end optical automated testing devices, achieving full automation of the entire product inspection process.



R&D design

The company boasts a professional design and R&D team, which has successfully designed and produced multiple specialized products for numerous renowned enterprises, delivering reliable solutions and high-quality product designs to customers.



Jiaji laboratory

Jiaji Laboratory is equipped with internationally advanced testing instruments in accordance with international standards. It can conduct comprehensive testing on various types of terminal blocks in terms of environmental protection, mechanical, electrical, material, and environmental aspects, directly adhering to standards such as UL486E, UL1059, EN60998, EN60947, EN61984, GB13140, and GB14048.



CATALOGUE

For more information, please visit the official website
www.nbjiaji.com



PRODUCT CATALOGUE

P₀₅₋₀₈

PCB SCREW TERMINAL BLOCK

P₀₉₋₂₀

PLUG-IN TERMINAL BLOCK

P₂₁₋₂₄

PCB SPRING TERMINAL BLOCK

P₂₅₋₃₀

BARRIER TERMINAL BLOCK

P₃₁₋₃₄

DIN RAIL TERMINAL BLOCK

P₃₅₋₃₆

INDIVIDUAL HARDWARE

P₃₇


Housing R&D and production

P₃₈

Mold Development/OEM



































PCB SCREW TERMINAL BLOCK

Screw type PCB terminal, the design takes into account the characteristics of compact structure, easy connection, effective vibration prevention, no regular maintenance, provides a variety of Angle and single-/multi-layer connection, can connect the cross section of 0.08 mm² to 35mm² all types of wire, Pitch 2.54mm to 15.0mm available. The product design conforms to IEC60947, UL1059, CSA C22.2 No.158 and other international standards. +




					
5.0mm	5.0mm	5.0mm	7.5mm	7.5mm	5.0mm
250V/16A	250V/16A	250V/16A	250V/16A	250V/16A	250V/16A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG
					
5.0mm	5.0mm	5.0mm	5.0mm	3.5mm	3.5mm
250V/16A	250V/16A	300V/12A	300V/10A	300V/8A	300V/10A
2P,3P	2P,3P	2P-24P	2P,3P	2P,3P	2P,3P
22-14AWG	22-14AWG	28-14AWG	28-16AWG	28-16AWG	26-16AWG
					
5.0mm	3.5mm	3.5mm,3.96mm	3.5mm,3.96mm	5.0mm	5.0mm
300V/10A	300V/8A	300V/10A	300V/10A	300V/8A	300V/8A
2P-24P	2P-24P	2P,3P	2P,3P	2P,3P	2P,3P
		24-18AWG	24-18AWG	26-14AWG	26-14AWG
					
5.0mm	7.5mm	5.0mm	5.0mm	5.0mm	5.0mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/16A	300V/10A
2P-24P	2P-18P	2P-24P	2P-24P	2P,3P	2P-24P
26-14AWG	26-14AWG	26-12AWG	26-12AWG	24-12AWG	22-14AWG
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm	5.0mm,5.08mm
300V/16A	300V/16A	300V/12A	300V/12A	300V/12A	300V/16A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
22-12AWG	22-12AWG	26-14AWG	26-14AWG	26-14AWG	22-12AWG

NB128-7.5/7.62	NB128R-5.0/5.08	NB128R-7.5/7.62	NB128E-5.0	NB128E-7.5	NB129-5.0/5.08
					
7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm	7.5mm	5.0mm,5.08mm
300V/16A	300V/16A	300V/16A	300V/16A	300V/16A	300V/20A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	26-12AWG
NB129-7.5/7.62	NB129R-5.0/5.08	NB129R-7.5/7.62	NB130-5.0/5.08	NB130-7.5/7.62	NB130T2-5.0/5.08
					
7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P,3P	2P,3P	2P,3P	2P,3P	2P,3P	2x2P,2x3P
26-12AWG	26-12AWG	26-12AWG	26-12AWG	26-12AWG	26-12AWG
NB130T2A-5.0/5.08	NB130T2B-5.0/5.08	NB130T3A-5.0/5.08	NB131-5.08	NB635-6.35	NB635VK-6.35
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm	6.35mm	6.35mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/30A	600V/30A
2x2P,2x3P	2x2P,2x3P	3x2P,3x3P	2P,3P	2P,3P	2P-18P
26-12AWG	26-12AWG	26-12AWG	26-12AWG	26-10AWG	24-10AWG
NB635VK-8.25	NB636-6.35	NB750-7.5	NB762-7.62	NB950-9.5	NB116V-10.16
					
8.25mm	6.35mm	7.5mm	7.62mm	9.5mm	10.16mm
600V/30A	300V/30A	300V/30A	300V/30A	300V/30A	300V/52A
2P-18P	2P,3P	2P,3P	2P,3P	2P,3P	2P,3P
24-10AWG	26-10AWG	26-10AWG	26-10AWG	26-10AWG	20-6AWG
NB116VW-10.16	NB116VK-10.16	NB116VK-12.7	NB117-12.7	NB118-15.0	NB118M-15.0
					
10.16mm	10.16mm	12.7mm	12.7mm	15.0mm	15.0mm
600V/65A	600V/65A	600V/65A	600V/65A	600V/115A	600V/115A
2P,3P	1P-14P	2P-14P	2P,3P	1P-12P	2P-10P
20-6AWG	20-6AWG	20-6AWG	20-6AWG	20-2AWG	20-2AWG































						
15.0mm	5.0mm	10.0mm	10.0mm	3.5mm,3.81mm	5.08mm	5.0mm
600V/115A	300V/15A	300V/20A	300V/30A	300V/10A	300V/15A	300V/12A
1P	2P,3P	1P-24P	1P-24P	2P-24P	2P-24P	2x2P,2x3P
20-2AWG	28-14AWG	26-12AWG	26-10AWG	26-16AWG	26-14AWG	26-14AWG
						
5.08mm	2.54mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	5.0mm,5.08mm
300V/15A	150V/7A	300V/10A	300V/10A	300V/10A	300V/15A	300V/15A
2x2P,2x3P	2P-24P	2P,3P	2P,3P	2x2P,2x3P	2x2P,2x3P	2P-24P
26-14AWG	26-18AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG	26-14 AWG
						
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P,3P	2P,3P	2P,3P	2x2P,2x3P	2x2P,2x3P	2x2P,2x3P
26-14 AWG	30-14AWG	30-14AWG	30-14AWG	30-14AWG	30-14AWG	30-14AWG
						
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm	5.0mm	5.0mm	5.0mm
300V/15A	300V/15A	300V/15A	300V/20A	300V/20A	300V/20A	300V/20A
2x2P,2x3P	3x2P,3x3P	3x2P,3x3P	1P-30P	1P-30P	1P-30P	1P-30P
30-14AWG	30-14AWG	30-14AWG	26-12AWG	26-12AWG	26-12AWG	26-12AWG
						
7.5mm	7.5mm	7.5mm	7.5mm	7.5mm	5.0mm,5.08mm	
300V/20A	300V/20A	300V/20A	300V/20A	300V/30A	300V/20A	
1P-30P	1P-30P	1P-30P	1P-30P	1P-30P	2P-24P	
26-12AWG	26-12AWG	26-12AWG	26-12AWG	24-10AWG	30-12AWG	








PLUG-IN TERMINAL BLOCK

Plug and pull terminal, the design combines the two advantages of convenient plug and plug and reliable connection, provides a variety of plug lock and lock-free wiring methods, can connect the section of 0.08mm² to 16mm² of all types of wires, spacing 2.5mm to 10.16mm to choose, according to the need to choose the direction of the line, connection direction, Insertion and removal direction. The product design conforms to IEC60998, IEC61984, UL1059, UL486E, CSA C22.2 No.158 and other international standards. +





NB15EDGKD-2.5	NB15EDGVC-2.5/2.54	NB15EDGRC-2.5/2.54	NB15EDGVH-2.5	NB15EDGRH-2.5	NB15EDGKN-3.5/3.81
2.5mm	2.5mm,2.54mm	2.5mm,2.54mm	2.5mm	2.5mm	3.5mm,3.81mm
150V/5A	150V/5A	150V/5A	150V/5A	150V/5A	300V/8A
2P-24P	2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)	2P-24P
26-20AWG					24-16AWG
NB15EDGKNG-3.5/3.81	NB15EDGKNM-3.5/3.81	NB15EDGKN-B-3.5/3.81	NB15EDGKNM-B-3.5/3.81	NB15EDGKNG-B-3.5/3.81	NB15EDGKN-B-3.5-1000A
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG
NB15EDGKNM-B-3.5-1000A	NB15EDGKNG-B-3.5-1000A	NB15EDGKNH-3.5	NB15EDGKNHM-3.5	NB15EDGKNHG-3.5	NB15EDGKNHB-3.5
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/9.5A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG	26-16AWG
NB15EDGKNHBM-3.5	NB15EDGKNHBG-3.5	NB15EDGKSH-3.5	NB15EDGKSHM-3.5	NB15EDGVC-THR-3.5/3.81	NB15EDGRC-THR-3.5/3.81
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/9.5A	300V/9.5A	150V/7A	150V/7A	300V/8A	300V/8A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2P-24P	2P-24P
26-16AWG	26-16AWG	28-18AWG	28-18AWG		
NB15EDGVMT-THR-3.5/3.81	NB15EDGRM-THR-3.5/3.81	NB15EDGVHB-THT-3.5/3.81	NB15EDGRHB-THT-3.5/3.81	NB15EDGVHBM-THT-3.5/3.81	NB15EDGRHBM-THT-3.5/3.81
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)

NB15EDGVHBN-THT-3.5/3.81	NB15EDGRHBN-THT-3.5/3.81	NB15EDGVHC-THR-3.5	NB15EDGVHCM-THR-3.5	NB15EDGRHC-THR-3.5	NB15EDGRHCM-THR-3.5
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	150V/8A	150V/8A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGVHS-THR-3.5	NB15EDGVHSC-THR-3.5	NB15EDGVHSM-THR-3.5	NB15EDGRHS-THR-3.5	NB15EDGRHSC-THR-3.5	NB15EDGRHSM-THR-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
150V/7A	150V/7A	150V/7A	150V/7A	150V/7A	150V/7A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGVHS-3.5	NB15EDGVHSC-3.5	NB15EDGVHSM-3.5	NB15EDGRHS-3.5	NB15EDGRHSC-3.5	NB15EDGRHSM-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
150V/7A	150V/7A	150V/7A	150V/7A	150V/7A	150V/7A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGK-2.54	NB15EDGK-3.5/3.81	NB15EDGKM-3.5/3.81	NB15EDGKA-3.5/3.81	NB15EDGKAM-3.5/3.81	NB15EDGKB-3.5/3.81
					
2.54mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
150V/5A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
26-20AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG
NB15EDGKBM-3.5/3.81	NB15EDGKBC-3.81	NB15EDGKCM-3.81	NB15EDGKDBG-3.81	NB15EDGKD-3.5/3.81	NB15EDGKDM-3.5/3.81
					
3.5mm,3.81mm	3.81mm	3.81mm	3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-16AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG	28-16AWG

					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-16AWG	28-16AWG				
					
3.5mm	3.5mm	3.81mm	3.81mm	3.81mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
		28-16AWG	28-16AWG	28-16AWG	24-16AWG
					
3.5mm	3.5mm	3.81mm	3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
24-16AWG	24-16AWG	28-16AWG	28-16AWG		
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
					
3.81mm	3.5mm,3.81mm	3.81mm	3.81mm	5.08mm	5.08mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
				28-16AWG	28-16AWG

NB15EDGVC-5.08	NB15EDGRC-5.08	NB15EDGVM-5.08	NB15EDGRM-5.08	NB15EDGVT-3.5/3.81	NB15EDGVTM-3.5/3.81
					
5.08mm	5.08mm	5.08mm	5.08mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2x(2P-24P)	2x(2P-24P)
NB15EDGRT-3.5/3.81	NB15EDGRTM-3.5/3.81	NB15EDGVH-3.5/3.81	NB15EDGVHM-3.5/3.81	NB15EDGRH-3.5/3.81	NB15EDGRHM-3.5/3.81
					
3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB15EDGVH3C-3.5	NB15EDGVH3N-3.5	NB15EDGVH3M-3.5	NB15EDGRH3C-3.5	NB15EDGRH3N-3.5	NB15EDGRH3M-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)
NB15EDGVH3C-THT-3.5	NB15EDGVH3N-THT-3.5	NB15EDGVH3M-THT-3.5	NB15EDGRH3C-THT-3.5	NB15EDGRH3N-THT-3.5	NB15EDGRH3M-THT-3.5
					
3.5mm	3.5mm	3.5mm	3.5mm	3.5mm	3.5mm
300V/8A	300V/8A	300V/8A	300V/8A	300V/8A	300V/8A
3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)	3x(2P-24P)
NB2EDGK-5.0/5.08	NB2EDGK-7.5/7.62	NB2EDGK-10.0/10.16	NB2EDGKM-5.0/5.08	NB2EDGKM-7.5/7.62	NB2EDGKM-10.0/10.16
					
5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/15A	300V/15A	600V/15A	300V/15A	300V/15A	600V/15A
2P-24P	2P-24P	2P-12P	2P-24P	2P-24P	2P-12P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG

NB2EDGKH-5.08	NB2EDGKHM-5.08	NB2EDGKA-5.0/5.08	NB2EDGKA-7.5/7.62	NB2EDGKAM-5.0/5.08	NB2EDGKAM-7.5/7.62
					
5.08mm	5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKB-5.0/5.08	NB2EDGKB-7.5/7.62	NB2EDGKBM-5.0/5.08	NB2EDGKBM-7.5/7.62	NB2EDGKAH-5.08	NB2EDGKAHM-5.08
					
5.0mm,5.08mm	7.5mm,7.62mm	5.0mm,5.08mm	7.5mm,7.62mm	5.08mm	5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKC-5.0/5.08	NB2EDGKCM-5.0/5.08	NB2EDGKD-5.0/5.08	NB2EDGKDM-5.0/5.08	NB2EDGKD-5.0/5.08	NB2EDGKD-7.5/7.62
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P/2P-16P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKDM-7.5/7.62	NB2EDGKDG-7.5/7.62	NB2EDGKDA-5.0/5.08	NB2EDGKDAM-5.0/5.08	NB2EDGKDB-5.0/5.08	NB2EDGKDBM-5.0/5.08
					
7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P/2P-16P	2P-24P/2P-16P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKDH-5.08	NB2EDGKDHM-5.08	NB2EDGKDHG-5.08	NB2EDGKDF-5.0/5.08	NB2EDGKDFM-5.0/5.08	NB2EDGKDFG-5.0/5.08
					
5.08mm	5.08mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG


NB2EDGKF-5.0/5.08	NB2EDGKFM-5.0/5.08	NB2EDGKJ-5.08	NB2EDGKZ-5.0/5.08	NB2EDGKZM-5.0/5.08	NB2EDGKL-3.81
					
5.0mm,5.08mm	5.0mm,5.08mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	3.81mm
300V/15A	300V/15A	300V/18A	300V/15A	300V/15A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	30-12AWG	28-12AWG	28-12AWG	28-16AWG
NB2EDGKLM-3.81	NB2EDGKL-5.08	NB2EDGKLM-5.08	NB2EDGKN-5.0/5.08	NB2EDGKNM-5.0/5.08	NB2EDGKNG-5.0/5.08
					
3.81mm	5.08mm	5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/8A	300V/15A	300V/15A	300V/12A	300V/12A	300V/12A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-16AWG	28-12AWG	28-12AWG	24-16AWG	24-16AWG	24-16AWG
NB2EDGB-5.0/5.08	NB2EDGBM-5.0/5.08	NB2EDGA-5.0/5.08	NB2EDGAM-5.0/5.08	NB2EDGB-7.62	NB2EDGBM-7.62
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-16P	2P-16P
NB2EDGA-7.62	NB2EDGAM-7.62	NB2EDGV-3.81	NB2EDGV-5.0/5.08	NB2EDGV-7.5/7.62	NB2EDGV-10.0/10.16
					
7.62mm	7.62mm	3.81mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/15A	300V/15A	300V/8A	300V/15A	300V/15A	300V/15A
2P-16P	2P-16P	2P-24P	2P-24P	2P-24P	2P-24P
NB2EDGR-3.81	NB2EDGR-5.0/5.08	NB2EDGR-7.5/7.62	NB2EDGR-10.0/10.16	NB2EDGKM-7.5/7.62	NB2EDGVC-5.0/5.08
					
3.81mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	3.81mm	5.0mm,5.08mm
300V/8A	300V/15A	300V/15A	600V/15A	300V/8A	300V/15A
2P-24P	2P-24P	2P-24P	2P-12P	2P-24P	2P-24P

<p>7.5mm,7.62mm 300V/15A 2P-24P</p>	<p>10.0mm,10.16mm 600V/15A 2P-12P</p>	<p>3.81mm 300V/8A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>7.5mm,7.62mm 300V/15A 2P-24P</p>	<p>10.0mm,10.16mm 600V/15A 2P-12P</p>
<p>3.81mm 300V/8A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>7.5mm,7.62mm 300V/15A 2P-24P</p>	<p>10.0mm,10.16mm 600V/15A 2P-12P</p>	<p>3.81mm 300V/8A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>
<p>7.5mm,7.62mm 300V/15A 2P-24P</p>	<p>10.0mm,10.16mm 600V/15A 2P-12P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.08mm 300V/15A 2P-24P</p>
<p>5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm,5.08mm 300V/15A 2P-24P</p>
<p>5.0mm,5.08mm 300V/15A 2P-24P</p>	<p>5.0mm 300V/15A 2P-4P</p>	<p>5.0mm 300V/15A 2P-4P</p>	<p>5.0mm,5.08mm 300V/15A 2x(2P-24P)</p>	<p>5.08mm 300V/15A 2x(2P-24P)</p>	<p>5.0mm,5.08mm 300V/15A 2x(2P-24P)</p>

NB2EDGRTM-5.08	NB2EDGVTC-5.0/5.08	NB2EDGRTC-5.0/5.08	NB2EDGVH-5.0/5.08	NB2EDGVHM-5.0/5.08	NB2EDGRH-5.0/5.08
					
5.08mm	5.0mm,5.08mm	5.0mm, 5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB2EDGRHM-5.0/5.08	NB2EDGRHB-THR-5.0	NB2EDGRHBM-THR-5.0	NB2EDGRHBN-THR-5.0	NB2EDGVHB-THR-5.0	NB2EDGVHBM-THR-5.0
					
5.0mm,5.08mm	5.0mm	5.0mm	5.0mm	5.0mm	5.0mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	2x(2P-24P)
NB2EDGVHBN-THR-5.0	NB2EDGJ-5.08	NB2EDGL-5.0/5.08	NB2EDGLC-5.0/5.08	NB2EDGLM-5.0/5.08	NB2EDGKR-5.08
					
5.0mm	5.08mm	5.0mm, 5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.08mm
300V/15A	300V/18A	300V/15A	300V/15A	300V/15A	300V/15A
2x(2P-24P)	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P 28-12AWG
NB2EDGKRM-5.08	NB2EDGKRN-5.08	NB2EDGKRL-5.08	NB2EDGKR-7.62	NB2EDGKRM-7.62	NB2EDGKRN-7.62
					
5.08mm	5.08mm	5.08mm	7.62mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGKDR-5.0/5.08	NB2EDGKDRM-5.0/5.08	NB2EDGKDRN-5.0/5.08	NB2EDGKDRG-5.0/5.08	NB2EDGKRZ-5.08	NB2EDGKRZM-5.08
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm, 5.08mm	5.0mm,5.08mm	5.08mm	5.08mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG


NB2EDGGB-5.08	NB2EDGGBM-5.08	NB2EDGVK-5.08	NB2EDGVKM-5.08	GUVK-5.08	NB2EDGUVKM-5.08
					
5.08mm	5.08mm	5.08mm	5.08mm	5.08mm	5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB2EDGRK-5.0/5.08	NB2EDGRKM-5.0/5.08	NB2EDGURK-5.0/5.08	NB2EDGURKM-5.0/5.08	NB2EDGKP-5.0	NB2CDGM-5.08
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm	5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/10A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	
NB2CDGVC-5.08	NB2CDGRC-5.08	NB2CDGRC-5.08	NB2CDGRM-5.08	NBHT396K-3.96	NBHT396V-3.96
					
5.08mm	5.08mm	5.08mm	5.08mm	3.96mm	3.96mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/8A	300V/8A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
				26-16AWG	
NBHT396R-3.96	NBHT508K-5.08	NBHT508V-5.08	NBHT508R-5.08	NB3EDGK-7.62	NB3EDGKM-7.62
					
3.96mm	5.08mm	5.08mm	5.08mm	7.62mm	7.62mm
300V/8A	300V/10A	300V/10A	300V/10A	300V/30A	300V/30A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
	22-14AWG			28-10AWG	28-10AWG
NB3EDGVC-7.62	NB3EDGVM-7.62	NB3EDGVZM-7.62	NB3EDGRC-7.62	NB3EDGRM-7.62	NB3EDGRZM-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/30A	300V/30A	300V/30A	300V/30A	300V/30A	300V/30A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P

NB3CDGM-7.62	NB3EDGKH-7.62	NB3EDGKHM-7.62	NB3EDGVH-7.62	NB3EDGRH-7.62	NB3EDGRRH-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/30A	300V/41A	300V/41A	300V/41A	300V/41A	300V/41A
2P-24P	2P-12P	2P-12P	2P-12P	2P-12P	2P-12P
	24-8AWG	24-8AWG			
NB3EDGVHM-7.62	NB3EDGRHM-7.62	NB3EDGRRHM-7.62	NB3EDGK-10.16	NB3EDGKM-10.16	NB3EDGVC-10.16
					
7.62mm	7.62mm	7.62mm	10.16mm	10.16mm	10.16mm
300V/41A	300V/41A	300V/41A	600V/55A	600V/55A	600V/55A
2P-12P	2P-12P	2P-12P	2P-18P	2P-16P	2P-18P
			20-6AWG	20-6AWG	
NB3EDGRC-10.16	NB3EDGRRC-10.16	NB3EDGVM-10.16	NB3EDGRM-10.16	NB3EDGRRM-10.16	NBPCP-3.5
					
10.16mm	10.16mm	10.16mm	10.16mm	10.16mm	3.5mm
600V/55A	600V/55A	600V/55A	600V/55A	600V/55A	150V/8A
2P-18P	2P-18P	2P-16P	2P-16P	2P-16P	2P-24P
NBM02-3.81	NBM01-5.08	NB2EDGLF-THR-5.0	NB2EDGRF-THR-5.0	NB9KS-5.0	NB9KS-7.5
					
		5.0mm, 5.08mm	5.0mm, 5.08mm	5.0mm	7.5mm
		300V/20A	300V/20A	300V/16A	300V/16A
		2P-24P	2P-24P	2P-14P	2P-12P
		30-12 AWG	30-12 AWG	28-12AWG	28-12AWG
NB9RC-5.0	NB9RC-7.5	NB15EDGKNHB-2.54	NB15EDGKNHBG-2.54	NB15EDGKNHBM-2.54	NB15EDGVHSC-THR-2.54
					
5.0mm	7.5mm	2.54mm	2.54mm	2.54mm	2.54mm
300V/16A	300V/16A	150V/5A	150V/5A	150V/5A	150V/5A
2P-14P	2P-12P	2P-24P	2P-24P	2P-24P	2P-24P
		30-20 AWG	30-20 AWG	30-20 AWG	































NB15EDGVHSM-THR-2.54	NB15EDGRHSC-THR-2.54	NB15EDGRHSM-THR-2.54	NB2EDGKJ-4.0	NB2EDGJ-4.0
				
2.54mm	2.54mm	2.54mm	4.0mm	4.0mm
150V/5A	150V/5A	150V/5A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2-24P	2-24P
			28-14AWG	

PCB SPRING TERMINAL BLOCK

Spring PCB terminal, wire cage and V-shaped spring connection, with vibration resistance, can be connected to a cross-section of 0.08mm² to 16mm² of all types of wire, spacing 2.5mm to 10.16mm to choose, can be used with screw connected PCB terminal mutually alternative, increased flexibility. The product design conforms to IEC60998, UL1059, UL486E, CSA C22.2 No.158 and other international standards.


















NB141V-2.54	NB141R-2.54	NB142V-5.0/5.08	NB142R-5.0/5.08	NB142V-7.5、7.62	NB142R-7.5/7.62
2.54mm	2.54mm	2.5mm,2.54mm	2.5mm,2.54mm	7.5mm,7.62mm	7.5mm,7.62mm
150V/4A	150V/4A	300V/10A	300V/10A	300V/10A	300V/10A
1P-30P	1P-30P	1P-30P	1P-30P	2P-24P	2P-24P
26-18AWG	26-18AWG	24-14AWG	24-14AWG	24-14AWG	24-14AWG
NB211V-2.5	NB211V-2.54	NB211R-2.5	NB211R-2.54	NB211V-5.0	NB211R-5.0
2.5mm	2.54mm	2.5mm	2.54mm	5.0mm	5.0mm
150V/5A	150V/5A	150V/5A	150V/5A	300V/10A	300V/10A
1P-30P	1P-30P	1P-30P	1P-30P	1P-30P	1P-30P
26-18AWG	26-18AWG	26-18AWG	26-18AWG	26-14AWG	26-14AWG
NB212S-THR-3.5	NB212S-THR-5.0	NB212V-THR-3.5/3.81	NB212R-THR-3.5/3.81	NB212VS-THR-3.5/3.81	NB212RS-THR-3.5/3.81
3.5mm	5.0mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm	3.5mm,3.81mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG	24-16AWG
NB212V-THR-5.0/5.08	NB212R-THR-5.0/5.08	NB212VS-THR-5.0/5.08	NB212RS-THR-5.0/5.08	NB213A-2.5/2.54	NB213B-2.5/2.54
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	2.5mm,2.54mm	2.5mm,2.54mm
300V/10A	300V/10A	300V/10A	300V/10A	150V/4A	150V/4A
2P-24P	2P-24P	2P-24P	2P-24P	1P-30P	1P-30P
24-16AWG	24-16AWG	24-16AWG	24-16AWG	28-20AWG	28-20AWG
NB235A-3.81	NB235B-3.81	NB235A-5.0	NB235B-5.0	NB236-3.81	NB236-5.0
3.81mm	3.81mm	5.0mm	5.0mm	3.81mm	5.0mm
300V/5A	300V/5A	300V/5A	300V/5A	300V/10A	300V/10A
1P-30P	1P-30P	1P-30P	1P-30P	1P-24P	1P-24P
22-18AWG	22-18AWG	22-18AWG	22-18AWG	20-16AWG	20-16AWG

					
7.5mm	5.0mm	7.5mm, 10.0mm	5.08mm	7.5mm	7.5mm
300V/10A	300V/12A	300V/12A	300V/10A	600V/40A	600V/40A
1P-24P	1P-30P	2P-18P	2P-12P	2P-18P	2P-18P
20-16AWG	20-12AWG	20-12AWG	22-16AWG	24-8AWG	24-8AWG
					
10.0mm	10.0mm	7.5mm	10.0mm	15.0mm	5.0mm
600V/66A	600V/66A	600V/41A	600V/51A	600V/51A	300V/20A
2P-12P	2P-12P	2P-24P	2P-18P	2P-18P	1P-24P
18-4AWG	18-4AWG	24-10AWG	18-4AWG	18-4AWG	24-12AWG
					
5.0mm	5.0mm	7.5mm	7.5mm	10.0mm	10.0mm
300V/20A	300V/20A	600V/41A	600V/41A	600V/66A	600V/66A
1P-24P	1P-24P	2P-24P	2P-24P	2P-12P	2P-12P
24-12AWG	24-12AWG	24-8AWG	24-8AWG	18-4AWG	18-4AWG
					
3.5mm	3.5mm	5.0mm	5.0mm	5.0mm	7.5mm
300V/10A	300V/10A	300V/20A	300V/20A	300V/20A	300V/20A
1P-30P	1P-30P	1P-30P	1P-30P	1P-24P	2P-24P
24-16AWG	24-16AWG	24-12AWG	24-12AWG	28-12AWG	28-12AWG
					
5.0mm	5.0mm, 5.08mm	7.5mm, 7.62mm	5.0mm, 5.08mm	7.5mm, 7.62mm	10.0mm, 10.16mm
300V/15A	300V/15A	300V/15A	300V/10A	300V/10A	300V/10A
2P-30P	1P-30P	2P-30P	2x(2P-24P)	2x(2P-16P)	2x(2P-12P)
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG


Ms. Cassie He































WhatsApp: +86 18268666698 E-mail: Cassie@nbjiaji.com































					
NB245T3-5.0/5.08	NB245T3-7.5/7.62	NB245T3-10.0/10.16	NB245T4-5.0/5.08	NB245T4-7.5/7.62	NB245T4-10.0/10.16
5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm	5.0mm,5.08mm	7.5mm,7.62mm	10.0mm,10.16mm
300V/10A	300V/10A	300V/10A	300V/10A	300V/10A	300V/10A
3x(2P-24P)	3x(2P-16P)	3x(2P-12P)	4x(2P-24P)	4x(2P-16P)	4x(2P-12P)
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
					
NB246-7.5	NB246-10.0	NB247-5.0	NB247-7.5	NB249-3.81/5.08	NB250-2.5
7.5mm	10.0mm	5.0mm	7.5mm	3.81mm,5.08mm	2.5mm
300V/30A	300V/30A	300V/8A	300V/8A	300V/10A	300V/4A
1P-16P	2P-12P	2P-24P	2P-24P	2P-24P	1P-30P
24-10AWG	24-10AWG	20-16AWG	20-16AWG	28-16AWG	28-20AWG
					
NB250-3.5	NB250T-5.0	NB251-2.5/2.54	NB252-5.0	NB252T2-5.0	NB252T3-5.0
3.5mm	5.0mm	2.5mm,2.54mm	5.0mm	5.0mm	5.0mm
300V/5A	300V/10A	150V/4A	300V/10A	300V/10A	300V/10A
1P-30P	2x(1P-30P)	1P-30P	1P-24P	2x(1P-24P)	3x(1P-24P)
22-18AWG	20-16AWG	28-20AWG	28-16AWG	28-16AWG	28-16AWG































BARRIER TERMINAL BLOCK































pe terminal, the connection is intuitive and concise, divided into front and back through and up and down through the connection mode, can be connected with a cross-section of 0.5mm^2 to 50mm^2 of all types of wires, the spacing $6.35\sim 27\text{mm}$ can be provided with cover, no cover, with or without fixed holes and other styles. The product design conforms to IEC60998, UL1059 and other international standards.



NB25C-7.62	NB25S-7.62	NB25H-7.62	NB25R-7.62	NB25CM-7.62	NB25SM-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-26P	2P-26P	2P-26P	2P-26P	2P-26P	2P-26P
22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG
NB25HM-7.62	NB25RM-7.62	NB35C-8.25	NB35S-8.25	NB35H-8.25	NB35R-8.25
					
7.62mm	7.62mm	8.25mm	8.25mm	8.25mm	8.25mm
300V/15A	300V/15A	300V/20A	300V/20A	300V/20A	300V/20A
2P-26P	2P-26P	2P-24P	2P-24P	2P-24P	2P-24P
22-14AWG	22-14AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB35CM-8.25	NB35SM-8.25	NB35HM-8.25	NB35RM-8.25	NB45C-9.5	NB45S-9.5
					
8.25mm	8.25mm	8.25mm	8.25mm	9.5mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-22P	2P-22P	2P-24P	2P-24P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB45H-9.5	NB45R-9.5	NB45CM-9.5	NB45SM-9.5	NB45HM-9.5	NB45RM-9.5
					
9.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-24P	2P-24P	2P-22P	2P-22P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB55C-10.0	NB55S-10.0	NB55H-10.0	NB55R-10.0	NB55CM-10.0	NB55SM-10.0
					
10.0mm	10.0mm	10.0mm	10.0mm	10.0mm	10.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-24P	2P-24P	2P-24P	2P-24P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG

NB55HM-10.0	NB55RM-10.0	NB65C-11.0	NB65S-11.0	NB65H-11.0	NB65R-11.0
					
10.0mm	10.0mm	11.0mm	11.0mm	11.0mm	11.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-24P	2P-24P	2P-24P	2P-24P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB65CM-11.0	NB65SM-11.0	NB65HM-11.0	NB65RM-11.0	NB28C-7.62	NB28S-7.62
					
11.0mm	11.0mm	11.0mm	11.0mm	7.62mm	7.62mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/15A	300V/15A
2P-22P	2P-22P	2P-22P	2P-22P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-14AWG	22-14AWG
NB28H-7.62	NB28R-7.62	NB28CM-7.62	NB28SM-7.62	NB28HM-7.62	NB28RM-7.62
					
7.62mm	7.62mm	7.62mm	7.62mm	7.62mm	7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-22P	2P-22P	2P-20P	2P-20P	2P-20P	2P-20P
22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG	22-14AWG
NB38C-8.25	NB38S-8.25	NB38S-8.25	NB38R-8.25	NB38CM-8.25	NB38SM-8.25
					
8.25mm	8.25mm	8.25mm	8.25mm	8.25mm	8.25mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-22P	2P-22P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB38HM-8.25	NB38RM-8.25	NB48C-9.5	NB48S-9.5	NB48H-9.5	NB48R-9.5
					
8.25mm	8.25mm	9.5mm	9.5mm	9.5mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-20P	2P-20P	2P-22P	2P-22P	2P-22P	2P-22P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG


NB48CM-9.5	NB48SM-9.5	NB48HM-9.5	NB48RM-9.5	NB58C-10.0	NB58S-10.0
					
9.5mm	9.5mm	9.5mm	9.5mm	10.0mm	10.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-20P	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB58H-10.0	NB58R-10.0	NB58CM-10.0	NB58SM-10.0	NB58HM-10.0	NB58RM-10.0
					
10.0mm	10.0mm	10.0mm	10.0mm	10.0mm	10.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-20P	2P-20P	2P-20P	2P-20P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB68C-11.0	NB68S-11.0	NB68H-11.0	NB68R-11.0	NB68CM-11.0	NB68SM-11.0
					
11.0mm	11.0mm	11.0mm	11.0mm	11.0mm	11.0mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/20A
2P-22P	2P-22P	2P-22P	2P-22P	2P-20P	2P-20P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG
NB68HM-11.0	NB68RM-11.0	NB78C-13.0	NB78H-13.0	NB78R-13.0	NB78CM-13.0
					
11.0mm	11.0mm	13.0mm	13.0mm	13.0mm	13.0mm
300V/20A	300V/20A	600V/40A	600V/40A	600V/40A	600V/40A
2P-20P	2P-20P	2P-20P	2P-20P	2P-20P	2P-18P
22-12AWG	22-12AWG	18-10AWG	18-10AWG	18-10AWG	18-10AWG
NB78HM-13.0	NB78RM-13.0	NB06-7.62	NB16-6.35	NB16A-6.35	NB16R-6.35
					
13.0mm	13.0mm	7.62mm	6.35mm	6.35mm	6.35mm
600V/40A	600V/40A	300V/15A	300V/10A	300V/10A	300V/10A
2P-18P	2P-18P	2P-22P	2P-30P	2P-30P	2P-30P
18-10AWG	18-10AWG	22-14AWG	22-16AWG	22-16AWG	22-16AWG































NB26-8.5	NB36-8.25	NB36SG-8.25	NB36A-8.25	NB36G-8.25	NB46-9.5
					
8.5mm	8.25mm	8.25mm	8.25mm	8.25mm	9.5mm
300V/20A	300V/20A	300V/20A	300V/20A	300V/20A	300V/30A
2P-26P	2P-26P	2P-26P	2P-26P	2P-26P	2P-20P
22-14AWG	22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-10AWG
NB46SG-9.5	NB46A-9.5	NB46G-9.5	NB46GA-9.5	NB46GX-9.5	NB46GG-9.5
					
9.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm
300V/30A	300V/30A	300V/30A	300V/30A	300V/30A	300V/30A
2P-26P	2P-20P	2P-12P	2P-12P	2P-9P	2P-9P
22-10AWG	22-10AWG	22-10AWG	22-10AWG	22-10AWG	22-10AWG
NB66-11.1	NB66A-11.1	NB45X-9.5	NB48RW-9.5	NB58RW-10.0	NB88-16.0
					
11.1mm	11.1mm	9.5mm	9.5mm	10.0mm	16.0mm
300V/30A	300V/30A	300V/20A	300V/20A	300V/20A	600V/100A
2P-23P	2P-23P	2P-22P	2P-22P	2P-20P	2P-16P
22-10AWG	22-10AWG	22-12AWG	22-12AWG	22-12AWG	14-3AWG
NB49M-9.5	NB69M-11.0	NB89M-14.0	NB10-8.5	NB10C-8.5	NB10L-8.5
					
9.5mm	11.0mm	14.0mm	8.5mm	8.5mm	8.5mm
300V/20A	300V/25A	600V/30A	300V/20A	300V/20A	300V/20A
2P-26P	2P-26P	2P-22P	2P-15P	2P-15P	2P-15P
22-12AWG	22-12AWG	22-10AWG	22-12AWG	22-12AWG	22-12AWG
NB10-11.0	NB10C-11.0	NB10L-11.0	NB10-13.0	NB10C-13.0	NB10L-13.0
					
11.0mm	11.0mm	11.0mm	13.0mm	13.0mm	13.0mm
300V/30A	300V/30A	300V/30A	600V/50A	600V/50A	600V/50A
2P-15P	2P-15P	2P-15P	1P-15P	1P-15P	1P-15P
22-10AWG	22-10AWG	22-10AWG	22-8AWG	22-8AWG	22-8AWG






























NB10-16.0	NB10C-16.0	NB10L-16.0	NB10-21.0	NB10C-21.0	NB10L-21.0
					
16.0mm	16.0mm	16.0mm	21.0mm	21.0mm	21.0mm
600V/65A	600V/65A	600V/65A	600V/115A	600V/115A	600V/115A
1P-15P	1P-15P	1P-15P	1P-15P	1P-15P	1P-15P
14-6AWG	14-6AWG	14-6AWG	8-2AWG	8-2AWG	8-2AWG
NB10-27.0	NB10C-27.0	NB10L-27.0	NBCZX7620-7.62	NBCZ8500-8.5	NBEM-1-11.0
					
27.0mm	27.0mm	27.0mm	7.62mm	8.5mm	11.0mm
600V/170A	600V/170A	600V/170A	300V/15A	300V/15A	300V/20A
1P-15P	1P-15P	1P-15P	2P-20P	2P-25P	3P
10-2/0AWG	10-2/0AWG	10-2/0AWG	22-14AWG	22-14AWG	22-12AWG
NBEM-1A-11.0	NBEM-2-11.0	NBEM-2A-11.0	NBEM-3-11.5	NBEM-4-8.8	NBEM-5-12.5
					
11.0mm	11.0mm	11.0mm	11.5mm	8.8mm	12.5mm
300V/20A	300V/20A	300V/20A	300V/30A	300V/15A	300V/30A
3P	3P	3P	3P	4P	3P
22-12AWG	22-12AWG	22-12AWG	22-12AWG	22-14AWG	22-10AWG
NBEM-51H-12.5	NBEM-52H-12.5	NBEM-21-11.0	NBTB15-9.0	NBTBD15-9.0	NB703-05-8.4
					
12.5mm	12.5mm	11.0mm	9.0mm	9.0mm	8.4mm
300V/30A	300V/30A	300V/30A	300V/20A	300V/20A	500V/15A
3P	3P	2x(2P-4P)	3P,12P	3P,12P	4P-16P
22-10AWG	22-10AWG	22-10AWG	22-12AWG	22-12AWG	18-14AWG
NB703-05-10.0	NB750-05	NB1000-05			
					
10.0mm	7.5mm	10.0mm			
660V/25A	660V/15A	660V/24A			
4P-16P	2P-20P	2P-16P			
30-12AWG	20-14AWG	30-12AWG			















DIN RAIL TERMINAL BLOCK

MCS multi-purpose connector series is suitable for single strand, multi-strand and thin multi-strand wire connection, the use of high elastic high-quality spring clamp, with wiring safety, fast, reliable, suitable for wire to wire, wire to board, board to board and board to line connection, with anti-insertion dislocation pin, conductive test hole, and provide a variety of positioning and fixing methods, one of the most widely used connectors, The pitch from 2.5mm to 7.62mm is available, and the product design complies with international standards such as IEC60998, UL1059, UL486E and CSA C22.2 No.158.




					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
					
5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
					
7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
					
5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
					
7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P

NB0602/0702-07XX	NB0602/0702-08XX	NB0403/0503-01XX	NB0403/0503-02XX	NB0403/0503-03XX	NB0403/0503-04XX
					
7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
		28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0403/0503-05XX	NB0403/0503-06XX	NB0603/0703-01XX	NB0603/0703-02XX	NB0603/0703-03XX	NB0603/0703-04XX
					
5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0603/0703-05XX	NB0603/0703-06XX	NB0404/0504-01XX	NB0404/0504-02XX	NB0404/0504-03XX	NB0404/0504-04XX
					
7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG	28-12AWG
NB0604/0704-01XX	NB0604/0704-02XX	NB0604/0704-03XX	NB0604/0704-04XX	NB0405/0505-01XX	NB0405/0505-02XX
					
7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	5.0mm,5.08mm	5.0mm,5.08mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P
28-12AWG	28-12AWG	28-12AWG	28-12AWG		
NB0405/0505-03XX	NB0405/0505-04XX	NB0605/0705-01XX	NB0605/0705-02XX	NB0605/0705-03XX	NB0605/0705-04XX
					
5.0mm,5.08mm	5.0mm,5.08mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm	7.5mm,7.62mm
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	300V/15A
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	2P-24P

NB0101-01XX	NB0101-02XX	NB0201/0301-01XX	NB0201/0301-02XX	NB0102-01XX	NB0102-02XX
					
2.5mm	2.5mm	3.5mm,3.81mm	3.5mm,3.81mm	2.5mm	2.5mm
150V/4A	150V/4A	300V/10A	300V/10A	150V/4A	150V/4A
2P-12P	2P-12P	2P-24P	2P-24P	2P-12P	2P-12P
28-20AWG	28-20AWG	28-14AWG	28-14AWG		
NB0202/0302-01XX	NB0202/0302-02XX	NB0103-01XX	NB0203/0303-01XX	NB0203/0303-02XX	NB0406-01XX
					
3.5mm,3.81mm	3.5mm,3.81mm	2.5mm	3.5mm,3.81mm	3.5mm,3.81mm	5.0mm
300V/10A	300V/10A	150V/4A	300V/10A	300V/10A	300V/15A
2P-24P	2P-24P	2P-12P	2P-24P	2P-24P	2P-24P
		28-20AWG	28-14AWG	28-14AWG	28-12 AWG
NB0406-02XX	NB0406-03XX	NB0406-04XX	NB0406-05XX	NB0406-06XX	
					
5.0mm	5.0mm	5.0mm	5.0mm	5.0mm	
300V/15A	300V/15A	300V/15A	300V/15A	300V/15A	
2P-24P	2P-24P	2P-24P	2P-24P	2P-24P	
28-12 AWG	28-12 AWG	28-12 AWG	28-12 AWG	28-12 AWG	

INDIVIDUAL HARDWARE

Specialized in producing various individual hardware parts, precision stamped hardware terminals, blade terminals and conductive copper terminals. punching, electroplating and finish machining. Custom processing is available, and bulk OEM & ODM orders are welcomed.



NBT01	NBT02	NBT04	NBT05	NBT06	NBT07
					
NBG01	NBG03-5.0	NBG03-7.5	NBG04-3.81	NB2EDG-PWI	NB2EDG-PWP
					
NB15EDG-PWP	NB15EDG-PWI-2.5	NB3EDG-PWI	NB5.0-09-02	NB6.0-04D	NB6.0-05D
					
NB6.5-02D	NB6.5-02D	NBK01	NBK02	NBK03	NBK04
					
NBK05	NBK06	NBK21	NBK22	NBK23	NBK24
					


Housing R&D and production


For over two decades, Jiayi has been dedicated to the design, research and development, as well as the processing and manufacturing of power meters, surge protectors, controllers, PLCs, frequency converters, servo drives, and other high-precision plastic casings.



Mold Development/OEM

With a robust technology research and development center, as well as a mold manufacturing center, we are capable of providing customers with OEM/ODM product design and manufacturing services





JIAJI ELECTRONIC TECHNOLOGY(NINGBO) CO., LTD

Add.No. 8, Xingang Road, Haishu District, Ningbo, China

Ms. Cassie He

E-mail: cassie@nbjiaji.com

WhatsApp: +86 18268666698

WeChat: +86 18268666698

For more information, please visit the official website

www.nbjiaji.com

